

Box 426, St. Charles, Missouri 63301 (314) 925-4000
TELEX: 447369

6 July 1982
1802-RWH-984

Monroe Institute of Applied Sciences
P.O. Box 130
Nellysford, Va. 22958

Attn: Contracts Manager

Subj: Request for Quote 1802-RWH-984

Encl: (1) Exhibit A Statement of Work for Monroe
(2) Program Schedule dated 1 July 1982
(3) General Terms and Conditions (Rev 14 Aug 81)
(4) MDC 450-1 (28 Feb 1974) Additional Purchase Order Subcontract
Conditions Cost and Pricing Data
(5) MDC 418 Standard Accounting Clause
(6) MDC 417 Certificate of Standard Accounting Clause
(7) MDC 450-5 Equal Opportunity Certs
(8) Shipping Instructions 11-6778
(9) DD633
(10) Supplier's Bid Price Breakdown
(11) MDC 450-4 Certificate of Cost and Pricing Data
(12) MDEC Audit Clause Form 11-6765
(13) Supplier Facilities Questionnaire Form 11-1208A

Ref: (a) Teaming Agreement between McDonnell Douglas Electronics Company
and Monroe Institute
(b) Statement of Work Second Draft Technical Proposal for Sleep
Restorative Trainer Development and Field Evaluation

Gentlemen:

1. McDonnell Douglas Electronics Company (MDEC) requests a firm fixed price and delivery for Development and Field Evaluation of a Sleep Restorative Trainer per enclosures (1) (2) and reference (a) and (b) of this request for proposal. Prices are to be firm fixed price for 120 days after receipt by MDEC.
2. By reference here, enclosures (1) through (13) and references (a) and (b) are to be considered part of this request.

A DIVISION OF

MCDONNELL DOUGLAS
CORPORATION



3. Any exceptions to this request must be contained in seller's response to this request, otherwise, MDEC will consider seller's incompliance with all the terms and conditions of this request.
4. Seller is to address his response to this request so as to arrive at the sender's address as soon as possible, along with enclosures (6), (7), (9), (10), (12), and (13) duly executed. Enclosure (11) will be executed at the time of negotiations.

Very truly yours,



R.W. Hoffmann
Sr. Subcontract Administrator
(314) 925-4664

lh